

MPI Chem 300 Dip Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
1/16							
1/8							
3/16	0.50						
1/4							
5/16	0.75						
3/8	1.00						
7/16							
1/2	1.25						
9/16							
5/8				5			
11/16	1.75						
3/4							
13/16			2				
7/8	2.25						
15/16		2					
1	2.50						
1 1/16	2.75						
1 1/8							
1 3/16	3.00						
1 1/4							
1 5/16			4	15			
1 3/8	3.50						
1 7/16							
1 1/2	3.75	4					
1 9/16	4.00						
1 5/8							
1 11/16	4.25						
1 3/4	4.50		6				
1 13/16							
1 7/8	4.75			25			
1 15/16							
2		6					
2 1/16	5.25						
2 1/8			8				
2 3/16	5.50						
2 1/4	5.75						
2 5/16							
2 3/8	6.00	8		35			
2 7/16	6.25						
2 1/2			10				
2 9/16	6.50						0.25

MPI Chem 300 Dip Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
2 5/8						0.25	
2 11/16							
2 3/4	7.00			45			
2 13/16		10	12				
2 7/8	7.25						
2 15/16	7.50						
3							
3 1/16	7.75						
3 1/8	8.00		14				
3 3/16		12		55			
3 1/4	8.25						
3 5/16							
3 3/8			16				
3 7/16	8.75						
3 1/2		14					
3 9/16	9.00			65			
3 5/8	9.25						
3 11/16			18				
3 3/4	9.50						
3 13/16							
3 7/8		16					
3 15/16	10.00		20	75			
4							
4 1/16							0.5
4 1/8	10.50						
4 3/16		18				0.5	
4 1/4	10.75		22	85			
4 5/16	11.00						
4 3/8							
4 7/16	11.25						
4 1/2		20	24				
4 9/16							
4 5/8	11.75			95			
4 11/16							
4 3/4		22	26				
4 13/16	12.25						
4 7/8							
4 15/16	12.50			105			
5	12.75		28				
5 1/16		24					
5 1/8	13.00						

MPI Chem 300 Dip Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
5 3/16			30				
5 1/4				115			
5 5/16	13.50						
5 3/8		26					0.75
5 7/16	13.75		32				
5 1/2	14.00					0.75	
5 9/16				125			
5 5/8	14.25	28					
5 11/16	14.50		34				
5 3/4							
5 13/16	14.75						
5 7/8				135			
5 15/16		30	36				
6	15.25						
6 1/16							
6 1/8	15.50		38				
6 3/16	15.75	32		145			
6 1/4							
6 5/16	16.00						
6 3/8	16.25		40				
6 7/16		34		155			
6 1/2	16.50						
6 9/16			42				1
6 5/8							
6 11/16	17.00	36				1	
6 3/4			44	165			
6 13/16	17.25						
6 7/8	17.50						
6 15/16		38					
7	17.75		46	175			
7 1/16	18.00						
7 1/8							
7 3/16	18.25	40	48				
7 1/4							
7 5/16				185			
7 3/8	18.75		50				
7 7/16		42					
7 1/2	19.00						
7 9/16	19.25			195			
7 5/8			52				
7 11/16	19.50	44					1.25

MPI Chem 300 Dip Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
7 3/4							
7 13/16			54	205		1.25	
7 7/8	20.00						
7 15/16		46					
8			56				
8 1/16	20.50			215			
8 1/8							
8 3/16	20.75	48	58				
8 1/4	21.00						
8 5/16							
8 3/8	21.25	50	60	225			
8 7/16							
8 1/2							
8 9/16	21.75						
8 5/8		52	62	235			
8 11/16							1.5
8 3/4	22.25						
8 13/16			64				
8 7/8	22.50	54		245		1.5	
8 15/16	22.75						
9			66		0.25		
9 1/16	23.00						
9 1/8		56		255			
9 3/16			68				
9 1/4	23.50						
9 5/16		58					
9 3/8			70	265			
9 7/16	24.00						
9 1/2							
9 9/16	24.25	60	72				
9 5/8	24.50			275			
9 11/16							1.75
9 3/4	24.75	62	74				
9 13/16							
9 7/8				285		1.75	
9 15/16	25.25		76				
10		64					
10 1/16	25.50		78	295			
10 1/8	25.75						
10 3/16		66					
10 1/4	26.00		80				

MPI Chem 300 Dip Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
10 5/16	26.25			305			
10 3/8							
10 7/16	26.50	68	82				
10 1/2							
10 9/16				315			
10 5/8	27.00	70	84				2
10 11/16							
10 3/4	27.25						
10 13/16	27.50		86	325			
10 7/8		72				2	
10 15/16	27.75						
11	28.00		88				
11 1/16		74		335			
11 1/8	28.25						
11 3/16			90				
11 1/4		76		345			
11 5/16	28.75		92				
11 3/8							
11 7/16	29.00						
11 1/2	29.25	78	94	355			
11 9/16							2.25
11 5/8	29.50						
11 11/16		80	96				
11 3/4				365			
11 13/16	30.00					2.25	
11 7/8			98				
11 15/16		82		375			
12	30.50						
12 1/16			100				
12 1/8	30.75	84					
12 3/16	31.00		102	385			
12 1/4							
12 5/16	31.25	86					
12 3/8			104				
12 7/16				395			2.5
12 1/2	31.75	88					
12 9/16			106				
12 5/8				405			
12 11/16	32.25						
12 3/4		90	108			2.5	
12 13/16	32.50						

MPI Chem 300 Dip Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
12 7/8	32.75		110	415			
12 15/16		92					
13	33.00						
13 1/16			112	425			
13 1/8		94					
13 3/16	33.50						
13 1/4			114				
13 5/16		96		435			
13 3/8	34.00		116				2.75
13 7/16							
13 1/2	34.25			445			
13 9/16	34.50	98	118				
13 5/8						2.75	
13 11/16	34.75						
13 3/4		100	120	455			
13 13/16							
13 7/8	35.25		122				
13 15/16		102		465			
14	35.50						
14 1/16	35.75		124				
14 1/8		104					
14 3/16	36.00			475			
14 1/4	36.25		126				3
14 5/16		106					
14 3/8	36.50		128	485			
14 7/16							
14 1/2							
14 9/16	37.00	108	130			3	
14 5/8				495			
14 11/16	37.25						
14 3/4	37.50	110	132		0.5		
14 13/16				505			
14 7/8	37.75		134				
14 15/16	38.00	112					
15							
15 1/16	38.25		136	515			3.25
15 1/8		114					
15 3/16			138				
15 1/4	38.75			525			
15 5/16		116					
15 3/8	39.00		140				

MPI Chem 300 Dip Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
15 7/16	39.25					3.25	
15 1/2		118		535			
15 9/16	39.50		142				
15 5/8	39.75						
15 11/16		120	144	545			
15 3/4	40.00						
15 13/16							
15 7/8		122	146				
15 15/16	40.50			555			3.5
16			148				
16 1/16	40.75						
16 1/8	41.00	124		565			
16 3/16			150				
16 1/4	41.25						
16 5/16		126		575		3.5	
16 3/8			152				
16 7/16	41.75						
16 1/2		128	154				
16 9/16				585			
16 5/8	42.25						
16 11/16		130	156				
16 3/4	42.50			595			
16 13/16	42.75		158				3.75
16 7/8		132					
16 15/16	43.00						
17			160	605			
17 1/16		134					
17 1/8	43.50		162				
17 3/16				615		3.75	
17 1/4		136					
17 5/16	44.00		164				
17 3/8				625			
17 7/16	44.25	138					
17 1/2	44.50		166				
17 9/16							
17 5/8	44.75		168	635			4
17 11/16		140					
17 3/4							
17 13/16	45.25	142	170	645			
17 7/8							
17 15/16	45.50		172				

MPI Chem 300 Dip Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
18	45.75						
18 1/16		144		655		4	
18 1/8	46.00		174				
18 3/16	46.25						
18 1/4		146	176	665			
18 5/16	46.50						
18 3/8							
18 7/16		148	178	675			
18 1/2	47.00						4.25
18 9/16							
18 5/8	47.25	150	180				
18 11/16	47.50			685			
18 3/4			182				
18 13/16	47.75	152					
18 7/8	48.00			695		4.25	
18 15/16			184				
19	48.25	154					
19 1/16			186				
19 1/8				705			
19 3/16	48.75	156					
19 1/4			188				
19 5/16	49.00			715			4.5
19 3/8	49.25	158	190				
19 7/16							
19 1/2	49.50			725			
19 9/16	49.75	160	192				
19 5/8							
19 11/16	50.00						
19 3/4		162	194	735		4.5	
19 13/16							
19 7/8	50.50		196				
19 15/16		164		745			
20	50.75						
20 1/16	51.00		198		0.75		
20 1/8							
20 3/16	51.25	166	200	755			4.75
20 1/4							
20 5/16							
20 3/8	51.75	168	202	765			
20 7/16							
20 1/2							

MPI Chem 300 Dip Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
20 9/16	52.25	170	204	775			
20 5/8						4.75	
20 11/16	52.50		206				
20 3/4	52.75	172					
20 13/16				785			
20 7/8	53.00		208				
20 15/16		174					
21			210	795			5
21 1/16	53.50						
21 1/8		176					
21 3/16			212				
21 1/4	54.00			805			
21 5/16		178	214				
21 3/8	54.25						
21 7/16	54.50			815			
21 1/2		180	216			5	
21 9/16	54.75						
21 5/8							
21 11/16		182	218	825			
21 3/4	55.25						
21 13/16			220				
21 7/8				835			5.25
21 15/16	55.75	184					
22			222				
22 1/16	56.00						
22 1/8	56.25	186		845			
22 3/16			224				
22 1/4	56.50						
22 5/16		188	226	855			
22 3/8							
22 7/16	57.00					5.25	
22 1/2		190	228				
22 9/16	57.25			865			
22 5/8	57.50						
22 11/16		192	230				
22 3/4	57.75			875			5.5
22 13/16	58.00		232				
22 7/8		194					
22 15/16	58.25						
23			234	885			
23 1/16							

MPI Chem 300 Dip Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
23 1/8	58.75	196	236				
23 3/16				895			
23 1/4	59.00						
23 5/16	59.25	198	238			5.5	
23 3/8							
23 7/16	59.50			905			
23 1/2	59.75	200	240				
23 9/16							
23 5/8	60.00			915			5.75
23 11/16		202	242				
23 3/4							
23 13/16	60.50		244				
23 7/8				925			
23 15/16	60.75	204					
24	61.00		246				
24 1/16				935			
24 1/8	61.25	206					
24 3/16			248			5.75	
24 1/4							
24 5/16	61.75	208	250	945			
24 3/8							
24 7/16							
24 1/2	62.25	210	252				6
24 9/16				955			
24 5/8	62.50						
24 11/16	62.75		254				
24 3/4		212		965			
24 13/16	63.00						
24 7/8			256				
24 15/16		214					
25	63.50		258	975			
25 1/16							
25 1/8		216				6	
25 3/16	64.00		260				
25 1/4				985			
25 5/16	64.25						
25 3/8	64.50	218	262				
25 7/16				995			6.25
25 1/2	64.75						
25 9/16		220	264		1		
25 5/8							

MPI Chem 300 Dip Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
25 11/16	65.25			1005			
25 3/4			266				
25 13/16		222					
25 7/8	65.75						
25 15/16			268	1015			
26	66.00	224					
26 1/16	66.25		270				
26 1/8						6.25	
26 3/16	66.50	226		1025			
26 1/4			272				
26 5/16							
26 3/8	67.00			1035			6.5
26 7/16		228	274				
26 1/2	67.25						
26 9/16	67.50						
26 5/8		230	276	1045			
26 11/16	67.75						
26 3/4	68.00						
26 13/16			278				
26 7/8	68.25	232		1055			
26 15/16							
27			280				
27 1/16	68.75	234				6.5	
27 1/8				1065			
27 3/16	69.00		282				
27 1/4	69.25						
27 5/16		236					6.75
27 3/8	69.50		284	1075			
27 7/16	69.75						
27 1/2							
27 9/16	70.00	238	286	1085			
27 5/8		238	286	1085			
27 11/16							
27 3/4	70.50	240	288				
27 13/16							
27 7/8	70.75			1095			
27 15/16	71.00		290				
28		242					
28 1/16	71.25						
28 1/8	71.50		292	1105		6.75	
28 3/16							

MPI Chem 300 Dip Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
28 1/4	71.75	244					
28 5/16			294				7
28 3/8				1115			
28 7/16	72.25	246					
28 1/2			296				
28 9/16	72.50						
28 5/8	72.75			1125			
28 11/16		248					
28 3/4	73.00		298				
28 13/16							
28 7/8				1135			
28 15/16	73.50	250	300				
29							
29 1/16							
29 1/8	74.00						
29 3/16		252		1145		7	
29 1/4	74.25						
29 5/16	74.50						
29 3/8							7.25
29 7/16	74.75	254		1155			
29 1/2							
29 9/16							
29 5/8	75.25						
29 11/16		256		1165			
29 3/4							
29 13/16	75.75						
29 7/8							
29 15/16	76.00	258					
30	76.25			1175			
30 1/16							
30 1/8	76.50						
30 3/16		260					
30 1/4							
30 5/16	77.00			1185		7.25	
30 3/8							
30 7/16	77.25	262					
30 1/2	77.50						7.5
30 9/16				1195			
30 5/8	77.75						
30 11/16	78.00						
30 3/4		264					

MPI Chem 300 Dip Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
30 13/16	78.25						
30 7/8				1205			
30 15/16							
31	78.75	266					
31 1/16							
31 1/8	79.00						
31 3/16	79.25			1215			
31 1/4		268					
31 5/16	79.50						
31 3/8	79.75						
31 7/16							
31 1/2	80.00			1225			
31 9/16		270				7.5	
31 5/8							
31 11/16	80.50						7.75
31 3/4							
31 13/16	80.75			1235			
31 7/8	81.00	272					
31 15/16							
32	81.25						
32 1/16	81.50						
32 1/8				1245			
32 3/16	81.75	274					
32 1/4							
32 5/16					1.25		
32 3/8	82.25						
32 7/16		276					
32 1/2	82.50			1255			
32 9/16	82.75						
32 5/8							
32 11/16	83.00						
32 3/4							
32 13/16		278		1265			
32 7/8	83.50						
32 15/16						7.75	
33							
33 1/16	84.00						8
33 1/8		280					
33 3/16	84.25			1275			
33 1/4	84.50						
33 5/16							

MPI Chem 300 Dip Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
33 3/8	84.75						
33 7/16							
33 1/2		282					
33 9/16	85.25			1285			
33 5/8							
33 11/16							
33 3/4	85.75						
33 13/16		284					
33 7/8	86.00						
33 15/16	86.25						
34				1295			
34 1/16	86.50						
34 1/8							
34 3/16							
34 1/4	87.00	286					
34 5/16							
34 3/8							
34 7/16	87.50			1305			
34 1/2							
34 9/16	87.75						
34 5/8	88.00						
34 11/16		288				8	
34 3/4	88.25						8.25
34 13/16							
34 7/8							
34 15/16	88.75			1315			
35							
35 1/16	89.00						
35 1/8	89.25	290					
35 3/16							
35 1/4	89.50						
35 5/16	89.75						
35 3/8							
35 7/16	90.00						
35 1/2				1325			
35 9/16							
35 5/8	90.50						
35 11/16		292					
35 3/4	90.75						
35 13/16	91.00						
35 7/8							

MPI Chem 300 Dip Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
35 15/16	91.25						
36	91.50						
36 1/16							
36 1/8	91.75						
36 3/16							
36 1/4							
36 5/16	92.25			1335			
36 3/8							
36 7/16	92.50						
36 1/2	92.75						
36 9/16		294					
36 5/8	93.00						
36 11/16							
36 3/4		296		1345	1.5	8.25	8.5